Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Cherry Pie 30mg

Sample ID: 2604AFL0697.2384
Strain: Cherry Pie
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 11.8693 g

Internal Lab ID: ATL-36256

Received: 04/30/2026
Completed: 05/18/2026
Batch#: T60-CP-1

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Client Notes
This gummy is packed in both 2 count and 40 count bags.



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/04/2026	Complete
Residual Solvents	05/14/2026	Pass
Microbials	05/15/2026	Pass
Mycotoxins	05/18/2026	Pass
Pesticides	05/18/2026	Pass
Heavy Metals	05/14/2026	Pass
Foreign Matter	05/15/2026	Pass

Basic Potency

Complete

0.266%
Total THC

0.016%
Total CBD

0.282%
Total Cannabinoids

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBDVa	0.001	0.002	ND	ND
CBDV	0.001	0.002	ND	ND
CBDa	0.001	0.002	ND	ND
CBGa	0.001	0.002	ND	ND
CBG	0.001	0.002	ND	ND
CBD	0.001	0.002	0.016	1.90
THCV	0.001	0.002	ND	ND
Δ8-THCV	0.001	0.002	ND	ND
THCVa	0.001	0.002	ND	ND

Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBN	0.001	0.002	ND	ND
Δ9-THC	0.001	0.002	0.266	31.57
Δ8-THC	0.001	0.002	ND	ND
(6aR,9S)-d10-THC	0.001	0.002	ND	ND
(6aR,9R)-d10-THC	0.001	0.002	ND	ND
CBC	0.001	0.002	ND	ND
CBCa	0.001	0.002	ND	ND
THCa	0.001	0.002	ND	ND
Total			**0.282**	**33.47**

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 05/04/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter

PJLA Testing
Accreditation #118038

Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Cherry Pie 30mg

Sample ID: 2604AFL0697.2384
Strain: Cherry Pie
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 11.8693 g

Internal Lab ID: ATL-36256

Received: 04/30/2026
Completed: 05/18/2026
Batch#: T60-CP-1

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Client Notes
This gummy is packed in both 2 count and 40 count bags.

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Abamectin	13.280	39.840	300	ND	Pass
Acephate	13.710	41.120	3000	ND	Pass
Acequinocyl	1.350	4.040	2000	ND	Pass
Acetamiprid	1.350	4.060	3000	ND	Pass
Aldicarb	13.280	39.840	100	ND	Pass
Azoxystrobin	1.340	4.020	3000	ND	Pass
Bifenazate	1.350	4.050	3000	ND	Pass
Bifenthrin	1.330	3.990	500	ND	Pass
Boscalid	1.350	4.040	3000	ND	Pass
Captan	100.580	33.530	3000	ND	Pass
Carbaryl	13.600	40.800	500	ND	Pass
Carbofuran	1.330	3.990	100	ND	Pass
Chlorantraniliprole	13.410	40.240	3000	ND	Pass
Chlordane	6.730	20.160	100	ND	Pass
Chlorfenapyr	13.400	40.200	100	ND	Pass
Chlormequat Chloride	13.520	40.560	3000	ND	Pass
Chlorpyrifos	13.370	40.120	100	ND	Pass
Clofentezine	1.350	4.060	500	ND	Pass
Coumaphos	1.360	4.070	100	ND	Pass
Cyfluthrin	16.730	33.450	1000	ND	Pass
Cypermethrin	16.740	33.470	1000	ND	Pass
Daminozide	13.320	39.960	100	ND	Pass
Diazinon	1.340	4.010	200	ND	Pass
Dichlorvos	13.470	40.400	100	ND	Pass
Dimethoate	1.350	4.060	100	ND	Pass
Dimethomorph	1.340	4.020	3000	ND	Pass
Ethoprophos	1.340	4.010	100	ND	Pass
Etofenprox	13.450	40.360	100	ND	Pass
Etoxazole	1.340	4.010	1500	ND	Pass
Fenhexamid	1.350	4.040	3000	ND	Pass
Fenoxycarb	1.350	4.040	100	ND	Pass
Fenpyroximate	1.340	4.020	2000	ND	Pass
Fipronil	1.360	4.070	100	ND	Pass
Flonicamid	1.330	4.000	2000	ND	Pass
Fludioxonil	1.350	4.040	3000	ND	Pass
Hexythiazox	1.330	4.000	2000	ND	Pass
Imazalil	13.430	40.280	100	ND	Pass
Imidacloprid	13.570	40.720	3000	ND	Pass
Kresoxim Methyl	13.600	40.800	1000	ND	Pass
Malathion	13.570	40.720	2000	ND	Pass
Metalaxyl	1.340	4.020	3000	ND	Pass
Methiocarb	1.340	4.030	100	ND	Pass
Methomyl	13.470	40.400	100	ND	Pass
Mevinphos	13.510	40.520	100	ND	Pass
Myclobutanil	1.330	3.980	3000	ND	Pass
Naled	13.430	40.280	500	ND	Pass
Oxamyl	13.470	40.400	500	ND	Pass
Paclobutrazol	1.350	4.050	100	ND	Pass
Parathion Methyl	13.520	40.560	100	ND	Pass
Pentachloronitrobenzene	6.690	20.060	200	ND	Pass
Permethrin	1.340	4.010	1000	ND	Pass
Phosmet	13.470	40.400	200	ND	Pass
Piperonyl Butoxide	1.340	4.020	3000	ND	Pass
Prallethrin	13.470	40.400	400	ND	Pass
Propiconazole	1.350	4.040	1000	ND	Pass
Propoxur	1.350	4.050	100	ND	Pass
Pyrethrins			1000	ND	Pass
Pyridaben	1.350	4.040	3000	ND	Pass
Spinetoram			3000	ND	Pass
Spinosad			3000	ND	Pass
Spiromesifen	1.340	4.020	3000	ND	Pass
Spirotetramat	1.330	3.980	3000	ND	Pass
Spiroxamine	1.330	3.990	100	ND	Pass
Tebuconazole	1.350	4.060	1000	ND	Pass
Thiacloprid	1.340	4.010	100	ND	Pass
Thiamethoxam	1.330	3.980	1000	ND	Pass
Trifloxystrobin	1.330	3.980	3000	ND	Pass

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 05/18/2026
Pesticide via LC-MS/MS and GC-MS/MS

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Cherry Pie 30mg

Sample ID: 2604AFL0697.2384
Strain: Cherry Pie
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 11.8693 g

Internal Lab ID: ATL-36256
Received: 04/30/2026
Completed: 05/18/2026
Batch#: T60-CP-1

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Client Notes
This gummy is packed in both 2 count and 40 count bags.

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/15/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 05/18/2026

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/15/2026

PJLA Testing
Accreditation #118038

Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Cherry Pie 30mg

Sample ID: 2604AFL0697.2384
Strain: Cherry Pie
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 11.8693 g

Internal Lab ID: ATL-36256

Received: 04/30/2026
Completed: 05/18/2026
Batch#: T60-CP-1

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Client Notes
This gummy is packed in both 2 count and 40 count bags.

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene		1.937	8	ND	Pass	n-Heptane		1.937	5000	ND	Pass
1,2-Dichloroethane		1.937	2	ND	Pass	Isobutane		1.947		ND	Tested
1,4-Dioxane		1.937		ND	Tested	Isopentane		0.646		ND	Tested
2,2-Dimethylbutane		0.388		ND	Tested	Isopropanol		28.492	500	ND	Pass
2,3-Dimethylbutane		0.388		ND	Tested	Isopropyl Acetate		1.937		ND	Tested
2-Butanol		1.937		ND	Tested	m-Xylene + p-Xylene		0.969		ND	Tested
2-Ethoxyethanol		3.874		ND	Tested	Methanol		19.352	250	ND	Pass
2-Methylpentane		0.388		ND	Tested	Methylene Chloride		1.937	125	ND	Pass
3-Methylpentane		0.388		ND	Tested	n-Butane		0.970		ND	Tested
Acetone		1.937	750	ND	Pass	n-Hexane		0.387		ND	Tested
Acetonitrile		19.253	60	ND	Pass	n-Pentane		0.646		ND	Tested
Benzene		0.019	1	ND	Pass	Neopentane		0.643		ND	Tested
Chloroform		0.078	2	ND	Pass	o-Xylene		0.484		ND	Tested
Cumene		1.937		ND	Tested	Propane		7.804	5000	ND	Pass
Cyclohexane		1.937		ND	Tested	Tetrahydrofuran		1.937		ND	Tested
Ethanol		40.099	5000	ND	Pass	Toluene		2.359	150	ND	Pass
Ethyl Acetate		11.025	400	ND	Pass	Trichloroethene		1.937	25	ND	Pass
Ethylbenzene		0.484		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether		1.937	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol		61.991		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide		1.944	5	ND	Pass	Xylenes		12.000	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 05/14/2026
Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	17	50	1500	ND	Pass
Cadmium	17	50	500	ND	Pass
Lead	17	50	500	ND	Pass
Mercury	17	50	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 05/14/2026

PJLA Testing
Accreditation #118038

ilac-MRA

Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.