New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Shifters Fruit Drops - 2mg Mixed Flavor

Sample ID: 2607NBL1343.3668
Matrix: Ingestible
Type: Hard Lozenge
Sample Size:
Date Collected:

Received: 07/29/2026
Completed: 08/10/2026
Expires: 08/10/2027
External Lot ID:
Batch#: #36387

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com



Summary

Test	Date Tested	Result
Cannabinoids	07/31/2026	Complete
Residual Solvents	08/03/2026	Complete
Microbials	08/03/2026	Complete
Mycotoxins	08/05/2026	Complete
Pesticides	08/05/2026	Complete
Heavy Metals	08/10/2026	Complete
Foreign Matter	07/29/2026	Not Detected

Cannabinoids

Complete

1.866 mg/serving	0.167%	1.789 mg/serving	3.655 mg/serving
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.0527	0.079	ND	ND	ND
9R-HHC	0.0527	0.079	ND	ND	ND
(6aR,9S)-d10-THC	0.0527	0.079	ND	ND	ND
9S-HHC	0.0527	0.079	ND	ND	ND
CBC	0.0527	0.079	ND	ND	ND
CBCa	0.0527	0.079	ND	ND	ND
CBD	0.0527	0.079	1.789	53.66603	0.160
CBDa	0.0527	0.079	ND	ND	ND
CBDV	0.0527	0.079	ND	ND	ND
CBDVa	0.0527	0.079	ND	ND	ND
CBG	0.0527	0.079	ND	ND	ND
CBGa	0.0527	0.079	ND	ND	ND
CBN	0.0527	0.079	ND	ND	ND
CBNa	0.0527	0.079	ND	ND	ND
Δ8-THC	0.0527	0.079	ND	ND	ND
Δ9-THC	0.0527	0.079	1.866	55.97703	0.167
THCa	0.0527	0.079	ND	ND	ND
THCp	0.0527	0.079	ND	ND	ND
THCV	0.0527	0.079	ND	ND	ND
THCVa	0.0527	0.079	ND	ND	ND
Total THC			**1.866**	**55.97703**	**0.167**
Total CBD			**1.789**	**53.66603**	**0.160**
Total			**3.655**	**109.64305**	**0.327**

Date Tested: 07/31/2026
1 Container = 30 lozenges; Serving Mass: 1.118 g; 30 servings per container; 56.0 mg THC per container; 1 Serving = 1 lozenge
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
08/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Fruit Drops - 2mg Mixed Flavor

Sample ID: 2607NBL1343.3668
Matrix: Ingestible
Type: Hard Lozenge
Sample Size:
Date Collected:

Received: 07/29/2026
Completed: 08/10/2026
Expires: 08/10/2027
External Lot ID:
Batch#: #36387

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested
Captan	0.394	0.118		ND	Tested
Carbaryl	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested
Chlordane	0.079	0.024		ND	Tested
Chlorfenapyr	0.079	0.024		ND	Tested
Chlormequat	0.099	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested
Cyfluthrin	0.079	0.024		ND	Tested
Cypermethrin	0.079	0.024		ND	Tested
Daminozide	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested
Dimethoate	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested
Etoxazole	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested
Flonicamid	0.099	0.030		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.099	0.030		ND	Tested
Hexythiazox	0.099	0.030		ND	Tested
Imazalil	0.099	0.030		ND	Tested
Imidacloprid	0.099	0.030		ND	Tested
Kresoxim Methyl	0.099	0.030		ND	Tested
Malathion	0.099	0.030		ND	Tested
Metalaxyl	0.099	0.030		ND	Tested
Methiocarb	0.099	0.030		ND	Tested
Methomyl	0.099	0.030		ND	Tested
Mevinphos	0.099	0.030		ND	Tested
Myclobutanil	0.099	0.030		ND	Tested
Naled	0.247	0.075		ND	Tested
Oxamyl	0.099	0.030		ND	Tested
Paclobutrazol	0.099	0.030		ND	Tested
Methyl Parathion	0.079	0.024		ND	Tested
Pentachloronitrobenzene	0.079	0.024		ND	Tested
Permethrins	0.099	0.030		ND	Tested
Phosmet	0.099	0.030		ND	Tested
Piperonyl Butoxide	0.099	0.030		ND	Tested
Prallethrin	0.099	0.030		ND	Tested
Propiconazole	0.099	0.030		ND	Tested
Propoxur	0.099	0.030		ND	Tested
Pyrethrins	0.493	0.148		ND	Tested
Pyridaben	0.099	0.030		ND	Tested
Spinetoram	0.099	0.030		ND	Tested
Spinosad	0.101	0.030		ND	Tested
Spiromesifen	0.099	0.030		ND	Tested
Spirotetramat	0.099	0.030		ND	Tested
Spiroxamine	0.099	0.030		ND	Tested
Tebuconazole	0.099	0.030		ND	Tested
Thiacloprid	0.099	0.030		ND	Tested
Thiamethoxam	0.099	0.030		ND	Tested
Trifloxystrobin	0.099	0.030		ND	Tested

Date Tested: 08/05/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
08/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Fruit Drops - 2mg Mixed Flavor

Sample ID: 2607NBL1343.3668
Matrix: Ingestible
Type: Hard Lozenge
Sample Size:
Date Collected:

Received: 07/29/2026
Completed: 08/10/2026
Expires: 08/10/2027
External Lot ID:
Batch#: #36387

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 08/03/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	4.9		ND	Tested
B2	1.6	4.9		ND	Tested
G1	1.6	4.9		ND	Tested
G2	1.6	4.9		ND	Tested
Total Aflatoxins	1.6	4.9		ND	Tested
Ochratoxin A	5.9	19.7		ND	Tested

Date Tested: 08/05/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094		ND	Tested
Cadmium	0.047	0.094		ND	Tested
Lead	0.047	0.094		ND	Tested
Mercury	0.047	0.094		ND	Tested
Palladium	0.047	0.236		ND	Tested
Selenium	0.047	0.094		ND	Tested

Date Tested: 08/10/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
08/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Fruit Drops - 2mg Mixed Flavor

Sample ID: 2607NBL1343.3668
Matrix: Ingestible
Type: Hard Lozenge
Sample Size:
Date Collected:

Received: 07/29/2026
Completed: 08/10/2026
Expires: 08/10/2027
External Lot ID:
Batch#: #36387

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		ND	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 08/03/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
08/10/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.