KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Certificate of Analysis

Mixed Berry 15mg CBG ISO 15mg CBD ISO

Sample ID: SA-260713-83801
Batch: 13864-01-001
Type: Finished Product - Ingestible
Matrix: Edible - Gummy
Unit Size (g): 5.59676
Unit Volume (mL): , Density (g/mL):

Received: 07/02/2026
Completed: 07/06/2026



Summary

Test	Date	Status
Cannabinoids	07/06/2026	Tested

ND Total Δ9-THC	0.272 % CBD	0.519 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.272	15.2
CBDA	0.00043	0.0013	ND	ND
CBDB	0.00133	0.004	ND	ND
CBD-C8	0.00133	0.004	ND	ND
CBDH	0.00133	0.004	ND	ND
CBDP	0.00133	0.004	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	0.246	13.8
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	ND	ND
CBNA	0.0006	0.00181	ND	ND
CBP	0.00133	0.004	ND	ND
CBT	0.0018	0.0054	ND	ND
Δ 4,8- iso-THC	0.00133	0.004	ND	ND
Δ6a,10a-THC	0.00133	0.004	ND	ND
Δ8-iso-THC	0.00133	0.004	ND	ND
Δ8-THC	0.00104	0.00312	ND	ND
Δ8-THCB	0.00133	0.004	ND	ND
Δ8-THC-C8	0.00133	0.004	ND	ND

Cannabinoid results continued on next page...

Generated By: Cindy Juett
Business Administrator
Date: 07/13/2026

This product orsubstance has been testedby KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.