New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Shifters Focus D9 Gummies

Sample ID: 2608NBL1406.3852
Matrix: Ingestible
Type: Soft Chew
Sample Size:
Date Collected:

Received: 08/11/2026
Completed: 08/26/2026
Expires: 08/26/2027
External Lot ID: 001
Batch#: #26592

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com



Summary

Test	Date Tested	Result
Cannabinoids	08/14/2026	Complete
Residual Solvents	08/25/2026	Complete
Microbials	08/20/2026	Complete
Mycotoxins	08/22/2026	Complete
Pesticides	08/22/2026	Complete
Heavy Metals	08/26/2026	Complete
Foreign Matter	08/11/2026	Not Detected

Cannabinoids

Complete

2.291 mg/serving	0.041%	ND	26.195 mg/serving
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.2575	0.386	ND	ND	ND
9R-HHC	0.2575	0.386	ND	ND	ND
(6aR,9S)-d10-THC	0.2575	0.386	ND	ND	ND
9S-HHC	0.2575	0.386	<LOQ	<LOQ	<LOQ
CBC	0.2575	0.386	ND	ND	ND
CBCa	0.2575	0.386	ND	ND	ND
CBD	0.2575	0.386	ND	ND	ND
CBDa	0.2575	0.386	ND	ND	ND
CBDV	0.2575	0.386	ND	ND	ND
CBDVa	0.2575	0.386	ND	ND	ND
CBG	0.2575	0.386	21.795	326.91959	0.386
CBGa	0.2575	0.386	ND	ND	ND
CBN	0.2575	0.386	ND	ND	ND
CBNa	0.2575	0.386	ND	ND	ND
Δ8-THC	0.2575	0.386	ND	ND	ND
Δ9-THC	0.2575	0.386	2.291	34.37232	0.041
THCa	0.2575	0.386	ND	ND	ND
THCp	0.2575	0.386	ND	ND	ND
THCV	0.2575	0.386	2.109	31.63932	0.037
THCVa	0.2575	0.386	ND	ND	ND
Total THC			**2.291**	**34.37232**	**0.041**
Total CBD			**ND**	**ND**	**ND**
Total			**26.195**	**392.93123**	**0.464**

Date Tested: 08/14/2026
1 Container = 15 Gummies; Serving Mass: 5.640 g; 15 servings per container; 34.4 mg THC per container; 1 Serving = 1 Gummy
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Focus D9 Gummies

Sample ID: 2608NBL1406.3852
Matrix: Ingestible
Type: Soft Chew
Sample Size:
Date Collected:

Received: 08/11/2026
Completed: 08/26/2026
Expires: 08/26/2027
External Lot ID: 001
Batch#: #26592

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.101	0.029		ND	Tested
Acephate	0.097	0.029		ND	Tested
Acequinocyl	0.097	0.029		ND	Tested
Acetamiprid	0.097	0.029		ND	Tested
Aldicarb	0.097	0.029		ND	Tested
Azoxystrobin	0.097	0.029		ND	Tested
Bifenazate	0.097	0.029		ND	Tested
Bifenthrin	0.097	0.029		ND	Tested
Boscalid	0.097	0.029		ND	Tested
Captan	0.388	0.117		ND	Tested
Carbaryl	0.097	0.029		ND	Tested
Carbofuran	0.097	0.029		ND	Tested
Chlorantraniliprole	0.097	0.029		ND	Tested
Chlordane	0.078	0.023		ND	Tested
Chlorfenapyr	0.078	0.023		ND	Tested
Chlormequat	0.097	0.029		ND	Tested
Chlorpyrifos	0.097	0.029		ND	Tested
Clofentezine	0.097	0.029		ND	Tested
Coumaphos	0.097	0.029		ND	Tested
Cyfluthrin	0.078	0.023		ND	Tested
Cypermethrin	0.078	0.023		ND	Tested
Daminozide	0.097	0.029		ND	Tested
Diazinon	0.097	0.029		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested
Dimethoate	0.097	0.029		ND	Tested
Dimethomorph	0.093	0.029		ND	Tested
Ethoprophos	0.097	0.029		ND	Tested
Etofenprox	0.097	0.029		ND	Tested
Etoxazole	0.097	0.029		ND	Tested
Fenhexamid	0.097	0.029		ND	Tested
Fenoxycarb	0.097	0.029		ND	Tested
Fenpyroximate	0.097	0.029		ND	Tested
Fipronil	0.097	0.029		ND	Tested
Flonicamid	0.097	0.029		ND	Tested

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Fludioxonil	0.097	0.029		ND	Tested
Hexythiazox	0.097	0.029		ND	Tested
Imazalil	0.097	0.029		ND	Tested
Imidacloprid	0.097	0.029		ND	Tested
Kresoxim Methyl	0.097	0.029		ND	Tested
Malathion	0.097	0.029		ND	Tested
Metalaxyl	0.097	0.029		ND	Tested
Methiocarb	0.097	0.029		ND	Tested
Methomyl	0.097	0.029		ND	Tested
Mevinphos	0.097	0.029		ND	Tested
Myclobutanil	0.097	0.029		ND	Tested
Naled	0.243	0.074		ND	Tested
Oxamyl	0.097	0.029		ND	Tested
Paclobutrazol	0.097	0.029		ND	Tested
Methyl Parathion	0.078	0.023		ND	Tested
Pentachloronitrobenzene	0.078	0.023		ND	Tested
Permethrins	0.097	0.029		ND	Tested
Phosmet	0.097	0.029		ND	Tested
Piperonyl Butoxide	0.097	0.029		ND	Tested
Prallethrin	0.097	0.029		ND	Tested
Propiconazole	0.097	0.029		ND	Tested
Propoxur	0.097	0.029		ND	Tested
Pyrethrins	0.485	0.146		ND	Tested
Pyridaben	0.097	0.029		ND	Tested
Spinetoram	0.097	0.029		ND	Tested
Spinosad	0.099	0.029		ND	Tested
Spiromesifen	0.097	0.029		ND	Tested
Spirotetramat	0.097	0.029		ND	Tested
Spiroxamine	0.097	0.029		ND	Tested
Tebuconazole	0.097	0.029		ND	Tested
Thiacloprid	0.097	0.029		ND	Tested
Thiamethoxam	0.097	0.029		ND	Tested
Trifloxystrobin	0.097	0.029		ND	Tested

Date Tested: 08/22/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.

Ashley Phillips
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Focus D9 Gummies

Sample ID: 2608NBL1406.3852
Matrix: Ingestible
Type: Soft Chew
Sample Size:
Date Collected:

Received: 08/11/2026
Completed: 08/26/2026
Expires: 08/26/2027
External Lot ID: 001
Batch#: #26592

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 08/20/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	4.9		ND	Tested
B2	1.6	4.9		ND	Tested
G1	1.6	4.9		ND	Tested
G2	1.6	4.9		ND	Tested
Total Aflatoxins	1.6	4.9		ND	Tested
Ochratoxin A	5.8	19.4		ND	Tested

Date Tested: 08/22/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.095		ND	Tested
Cadmium	0.048	0.095		ND	Tested
Lead	0.048	0.095		ND	Tested
Mercury	0.048	0.095		ND	Tested
Palladium	0.048	0.238		ND	Tested
Selenium	0.048	0.095		ND	Tested

Date Tested: 08/26/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Shifters Focus D9 Gummies

Sample ID: 2608NBL1406.3852
Matrix: Ingestible
Type: Soft Chew
Sample Size:
Date Collected:

Received: 08/11/2026
Completed: 08/26/2026
Expires: 08/26/2027
External Lot ID: 001
Batch#: #26592

Client
Canvast Supply Co
Lic. # TNHDC252029
CSC HQ - 206 N Anderson Lane Hendersonville , TN 37075
(720) 428-1389 accounting@canvastsupplyco.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	58.594	195.313		ND	Tested
Benzene	0.234	0.781		ND	Tested
n-Butane	53.906	179.688		ND	Tested
Isobutane	53.906	179.688		ND	Tested
Ethanol	58.594	195.313		ND	Tested
Ethyl Acetate	58.594	195.313		ND	Tested
Heptane	58.594	195.313		ND	Tested
n-Hexane	1.172	3.906		ND	Tested
2,2-Dimethylbutane	1.172	3.906		ND	Tested
3-Methylpentane	1.172	3.906		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.344	7.813		ND	Tested
Methanol	23.438	78.125		ND	Tested
Isopentane	53.906	179.688		ND	Tested
n-Pentane	23.438	78.125		ND	Tested
Neopentane	53.906	179.688		ND	Tested
2-Propanol	58.594	195.313		ND	Tested
Propane	234.375	781.250		ND	Tested
Toluene	0.117	0.391		ND	Tested
Ethylbenzene	0.117	0.391		ND	Tested
m/p-Xylene	0.117	0.391		ND	Tested
o-Xylene	0.117	0.391		ND	Tested
1,1-Dichloroethene	0.469	1.563		ND	Tested
1,2-Dichloroethane	0.469	1.563		ND	Tested
Ethylene Oxide	1.172	3.906		ND	Tested
Acetonitrile	4.688	15.625		ND	Tested
Chloroform	0.469	1.563		ND	Tested
Ethyl Ether	58.594	195.313		ND	Tested
Dichloromethane	23.438	78.125		ND	Tested
Trichloroethene	4.688	15.625		ND	Tested
2,3-Butanedione	23.438	78.125		ND	Tested

Date Tested: 08/25/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.

Ashley Phillips
Laboratory Director
08/26/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.