Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com



# Blue Dream 12mg

**Sample ID: 2609AFL1565.5389**
Strain: Blue Dream
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 4.9437 g

**Internal Lab ID: ATL-39147**

Received: 09/02/2026
Completed: 09/23/2026
Batch#: TTBD12-1

Client
**Tillmans Tranquils**
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314




## Summary

| Test | Date Tested | Result |
|---|---|---|
| Batch | | Pass |
| Cannabinoids | 09/04/2026 | Complete |
| Residual Solvents | 09/21/2026 | Pass |
| Microbials | 09/21/2026 | Pass |
| Mycotoxins | 09/16/2026 | Pass |
| Pesticides | 09/16/2026 | Pass |
| Heavy Metals | 09/22/2026 | Pass |
| Foreign Matter | 09/21/2026 | Pass |

## Basic Potency

Complete

| 0.252% | ND | 0.252% |
|---|---|---|
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD % | LOQ % | Result % | Result mg/unit | Analyte | LOD % | LOQ % | Result % | Result mg/unit |
|---|---|---|---|---|---|---|---|---|---|
| CBDVa | 0.001 | 0.002 | ND | ND | CBN | 0.001 | 0.002 | ND | ND |
| CBDV | 0.001 | 0.002 | ND | ND | Δ9-THC | 0.001 | 0.002 | 0.252 | 12.46 |
| CBDa | 0.001 | 0.002 | ND | ND | Δ8-THC | 0.001 | 0.002 | ND | ND |
| CBGa | 0.001 | 0.002 | ND | ND | (6aR,9S)-d10-THC | 0.001 | 0.002 | ND | ND |
| CBG | 0.001 | 0.002 | ND | ND | (6aR,9R)-d10-THC | 0.001 | 0.002 | ND | ND |
| CBD | 0.001 | 0.002 | ND | ND | CBC | 0.001 | 0.002 | ND | ND |
| THCV | 0.001 | 0.002 | ND | ND | CBCa | 0.001 | 0.002 | ND | ND |
| Δ8-THCV | 0.001 | 0.002 | ND | ND | THCa | 0.001 | 0.002 | ND | ND |
| THCVa | 0.001 | 0.002 | ND | ND | **Total** | | | **0.252** | **12.46** |

ACCURATE TEST LAB

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 09/04/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

| NT | NT | Pass |
|---|---|---|
| Not Tested | Not Tested | *Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3* |
| *Document ID:* | *Document ID:* | Foreign Matter |
| Moisture Content | Water Activity | |

Lise Berthe-Laurent
Laboratory Director
09/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

# Blue Dream 12mg

**Sample ID: 2609AFL1565.5389**
Strain: Blue Dream
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 4.9437 g

**Internal Lab ID: ATL-39147**

Received: 09/02/2026
Completed: 09/23/2026
Batch#: TTBD12-1

Client
**Tillmans Tranquils**
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

## Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | PPB | PPB | PPB | PPB | |
| Abamectin | 7.968 | 39.840 | 300 | ND | Pass |
| Acephate | 8.224 | 41.120 | 3000 | ND | Pass |
| Acequinocyl | 0.808 | 4.040 | 2000 | ND | Pass |
| Acetamiprid | 0.812 | 4.060 | 3000 | ND | Pass |
| Aldicarb | 7.968 | 39.840 | 100 | ND | Pass |
| Azoxystrobin | 0.804 | 4.020 | 3000 | ND | Pass |
| Bifenazate | 0.810 | 4.050 | 3000 | ND | Pass |
| Bifenthrin | 0.798 | 3.990 | 500 | ND | Pass |
| Boscalid | 0.808 | 4.040 | 3000 | ND | Pass |
| Captan | 6.706 | 33.530 | 3000 | ND | Pass |
| Carbaryl | 8.160 | 40.800 | 500 | ND | Pass |
| Carbofuran | 0.798 | 3.990 | 100 | ND | Pass |
| Chlorantraniliprole | 8.048 | 40.240 | 3000 | ND | Pass |
| Chlordane | 4.032 | 20.160 | 100 | ND | Pass |
| Chlorfenapyr | 8.040 | 40.200 | 100 | ND | Pass |
| Chlormequat Chloride | 8.112 | 40.560 | 3000 | ND | Pass |
| Chlorpyrifos | 8.024 | 40.120 | 100 | ND | Pass |
| Clofentezine | 0.812 | 4.060 | 500 | ND | Pass |
| Coumaphos | 0.814 | 4.070 | 100 | ND | Pass |
| Cyfluthrin | 6.690 | 33.450 | 1000 | ND | Pass |
| Cypermethrin | 6.694 | 33.470 | 1000 | ND | Pass |
| Daminozide | 7.992 | 39.960 | 100 | ND | Pass |
| Diazinon | 0.802 | 4.010 | 200 | ND | Pass |
| Dichlorvos | 8.080 | 40.400 | 100 | ND | Pass |
| Dimethoate | 0.812 | 4.060 | 100 | ND | Pass |
| Dimethomorph | 0.804 | 4.020 | 3000 | ND | Pass |
| Ethoprophos | 0.802 | 4.010 | 100 | ND | Pass |
| Etofenprox | 8.072 | 40.360 | 100 | ND | Pass |
| Etoxazole | 0.802 | 4.010 | 1500 | ND | Pass |
| Fenhexamid | 0.808 | 4.040 | 3000 | ND | Pass |
| Fenoxycarb | 0.808 | 4.040 | 100 | ND | Pass |
| Fenpyroximate | 0.804 | 4.020 | 2000 | ND | Pass |
| Fipronil | 0.814 | 4.070 | 100 | ND | Pass |
| Flonicamid | 0.800 | 4.000 | 2000 | ND | Pass |
| Fludioxonil | 0.808 | 4.040 | 3000 | ND | Pass |
| Hexythiazox | 0.800 | 4.000 | 2000 | ND | Pass |
| Imazalil | 8.056 | 40.280 | 100 | ND | Pass |
| Imidacloprid | 8.144 | 40.720 | 3000 | ND | Pass |
| Kresoxim Methyl | 8.160 | 40.800 | 1000 | ND | Pass |
| Malathion | 8.144 | 40.720 | 2000 | ND | Pass |
| Metalaxyl | 0.804 | 4.020 | 3000 | ND | Pass |
| Methiocarb | 0.806 | 4.030 | 100 | ND | Pass |
| Methomyl | 8.080 | 40.400 | 100 | ND | Pass |
| Mevinphos | 8.104 | 40.520 | 100 | ND | Pass |
| Myclobutanil | 0.796 | 3.980 | 3000 | ND | Pass |
| Naled | 8.056 | 40.280 | 500 | ND | Pass |
| Oxamyl | 8.080 | 40.400 | 500 | ND | Pass |
| Paclobutrazol | 0.810 | 4.050 | 100 | ND | Pass |
| Parathion Methyl | 8.112 | 40.560 | 100 | ND | Pass |
| Pentachloronitrobenzene | 4.012 | 20.060 | 200 | ND | Pass |
| Permethrin | 0.802 | 4.010 | 1000 | ND | Pass |
| Phosmet | 8.080 | 40.400 | 200 | ND | Pass |
| Piperonyl Butoxide | 0.804 | 4.020 | 3000 | ND | Pass |
| Prallethrin | 8.080 | 40.400 | 400 | ND | Pass |
| Propiconazole | 0.808 | 4.040 | 1000 | ND | Pass |
| Propoxur | 0.810 | 4.050 | 100 | ND | Pass |
| Pyrethrins | | | 1000 | ND | Pass |
| Pyridaben | 0.808 | 4.040 | 3000 | ND | Pass |
| Spinetoram | | | 3000 | ND | Pass |
| Spinosad | | | 3000 | ND | Pass |
| Spiromesifen | 0.804 | 4.020 | 3000 | ND | Pass |
| Spirotetramat | 0.796 | 3.980 | 3000 | ND | Pass |
| Spiroxamine | 0.798 | 3.990 | 100 | ND | Pass |
| Tebuconazole | 0.812 | 4.060 | 1000 | ND | Pass |
| Thiacloprid | 0.802 | 4.010 | 100 | ND | Pass |
| Thiamethoxam | 0.796 | 3.980 | 1000 | ND | Pass |
| Trifloxystrobin | 0.796 | 3.980 | 3000 | ND | Pass |

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 09/16/2026
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

Lise Berthe-Laurent
Laboratory Director
09/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

# Blue Dream 12mg

**Sample ID: 2609AFL1565.5389**
Strain: Blue Dream
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 4.9437 g

**Internal Lab ID: ATL-39147**
Received: 09/02/2026
Completed: 09/23/2026
Batch#: TTBD12-1

Client
**Tillmans Tranquils**
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

## Microbials

Pass

| Analyte | LOD | Limit | Result | Status |
|---|---|---|---|---|
| | CFU/g | CFU/g | CFU/g | |
| Shiga Toxin-Producing E. coli | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus flavus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus fumigatus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus terreus | 1 | 1 | Not Detected in 1g | Pass |
| Aspergillus niger | 1 | 1 | Not Detected in 1g | Pass |
| Salmonella | 1 | 1 | Not Detected in 1g | Pass |
| Total Yeast & Mold | 10 | 100000 | ND | Pass |

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 09/21/2026

## Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | PPB | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.35 | 4.04 | | ND | Tested |
| Aflatoxin B2 | 1.33 | 4.00 | | ND | Tested |
| Aflatoxin G1 | 1.35 | 4.04 | | ND | Tested |
| Aflatoxin G2 | 1.33 | 4.00 | | ND | Tested |
| Ochratoxin A | 13.47 | 40.40 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 09/16/2026
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

## Foreign Matter

Pass

| Analyte | Limit | Result | Status |
|---|---|---|---|
| | % by weight | % by weight | |
| Mold, Mildew, Fungus, Hair, Or Insects | 1% wt/wt or >10% total sample surface area | ND | Pass |
| Packaging Contaminants, Processing Waste, Or Other By-Products | 1% wt/wt or >10% total sample surface area | ND | Pass |
| Feces | >0.5 mg/kg | ND | Pass |
| FM Other | | ND | Pass |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 09/21/2026

Lise Berthe-Laurent
Laboratory Director
09/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com



# Blue Dream 12mg

**Sample ID: 2609AFL1565.5389**
Strain: Blue Dream
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 4.9437 g

**Internal Lab ID: ATL-39147**

Received: 09/02/2026
Completed: 09/23/2026
Batch#: TTBD12-1

Client
**Tillmans Tranquils**
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

## Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | PPM | PPM | PPM | PPM | | | PPM | PPM | PPM | PPM | |
| 1,1-Dichloroethene | 0.59 | 1.76 | 8 | ND | Pass | n-Heptane | 0.59 | 1.76 | 5000 | ND | Pass |
| 1,2-Dichloroethane | 0.59 | 1.76 | 2 | ND | Pass | Isobutane | 0.59 | 1.77 | | ND | Tested |
| 1,4-Dioxane | 0.59 | 1.76 | | ND | Tested | Isopentane | 0.20 | 0.59 | | ND | Tested |
| 2,2-Dimethylbutane | 0.12 | 0.35 | | ND | Tested | Isopropanol | 8.65 | 25.95 | 500 | ND | Pass |
| 2,3-Dimethylbutane | 0.12 | 0.35 | | ND | Tested | Isopropyl Acetate | 0.59 | 1.76 | | ND | Tested |
| 2-Butanol | 0.59 | 1.76 | | ND | Tested | m-Xylene + p-Xylene | 0.29 | 0.88 | | ND | Tested |
| 2-Ethoxyethanol | 1.18 | 3.53 | | ND | Tested | Methanol | 5.88 | 17.63 | 250 | ND | Pass |
| 2-Methylpentane | 0.12 | 0.35 | | ND | Tested | Methylene Chloride | 0.59 | 1.76 | 125 | ND | Pass |
| 3-Methylpentane | 0.12 | 0.35 | | ND | Tested | n-Butane | 0.29 | 0.88 | | ND | Tested |
| Acetone | 0.59 | 1.76 | 750 | ND | Pass | n-Hexane | 0.12 | 0.35 | | ND | Tested |
| Acetonitrile | 5.85 | 17.54 | 60 | ND | Pass | n-Pentane | 0.20 | 0.59 | | ND | Tested |
| Benzene | 0.01 | 0.02 | 1 | ND | Pass | Neopentane | 0.20 | 0.59 | | ND | Tested |
| Chloroform | 0.02 | 0.07 | 2 | ND | Pass | o-Xylene | 0.15 | 0.44 | | ND | Tested |
| Cumene | 0.59 | 1.76 | | ND | Tested | Propane | 2.37 | 7.11 | 5000 | ND | Pass |
| Cyclohexane | 0.59 | 1.76 | | ND | Tested | Tetrahydrofuran | 0.59 | 1.76 | | ND | Tested |
| Ethanol | 12.17 | 36.52 | 5000 | ND | Pass | Toluene | 0.72 | 2.15 | 150 | ND | Pass |
| Ethyl Acetate | 3.35 | 10.04 | 400 | ND | Pass | Trichloroethene | 0.59 | 1.76 | 25 | ND | Pass |
| Ethylbenzene | 0.15 | 0.44 | | ND | Tested | Hexanes | | | 250 | ND | Pass |
| Ethyl Ether | 0.59 | 1.76 | 500 | ND | Pass | Butanes | | | 5000 | ND | Pass |
| Ethylene Glycol | 18.82 | 56.46 | | ND | Tested | Pentanes | | | 750 | ND | Pass |
| Ethylene Oxide | 0.59 | 1.77 | 5 | ND | Pass | Xylenes | 4.00 | 12.00 | 150 | ND | Pass |

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 09/21/2026
Residual Solvents via HS-GC-MS

## Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---|---|---|---|---|---|
| | PPB | PPB | PPB | PPB | |
| Arsenic | 16.4 | 49.2 | 1500 | ND | Pass |
| Cadmium | 16.4 | 49.2 | 500 | ND | Pass |
| Lead | 16.4 | 49.2 | 500 | ND | Pass |
| Mercury | 16.4 | 49.2 | 3000 | ND | Pass |

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 09/22/2026

Lise Berthe-Laurent
Laboratory Director
09/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.